

Code: INT-COC-001213

This is to certify that

Sealed Air Srl

Registered address: Via Europa 15, 20882 Bellusco (MB), Italy

Certified Site: Via Europa 15, 20882 Bellusco (MB), Italy

has been assessed and certified as meeting the requirement of the Forest Stewardship Council® A.C. Chain of Custody using the following FSC® standards:
FSC-STD-40-004 V2.1 EN STANDARD FOR COC CERTIFICATION; FSC-STD-50-001_V1-2
CERTIFICATE HOLDER TRADEMARK REQUIREMENTS

Scope of the Certificate: Printing and related services, including activities in outsourcing

Type of Certification: Single

The company is entitled to use the FSC trademark and sell as FSC certified all products listed on the attached product schedule.

This certificate is valid from 01 May 2017 until 30 April 2022
Issue number: 1

Certification body: **Interface NRM Ltd**

Signed on behalf of Interface NRM Ltd by:



Dr. Gavin Jordan
Director

- ✓ The validity of this certificate and the full list of product groups covered by the certificate shall be verified on the FSC database of registered certificates (www.fsc-info.org)
- ✓ The certificate itself does not constitute evidence that a particular product supplied by the certificate holder is FSC certified, or Controlled Wood.
- ✓ Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on sales and delivery documents.
- ✓ The certificate including all copies or reproductions is property of Interface NRM Ltd and shall be returned or destroyed upon request.



The mark of
responsible forestry

Product schedule

Sealed Air Srl

Site Address Via Europa 15, 20882 Bellusco (MB), Italy

Product type	Control system used	Output claim	Species (if applicable)
P7.6 Envelopes	Transfer System	FSC Mix	NA

Refer to the FSC certification database (info.fsc.org) for the full list of product groups covered by the certification.

This certificate is valid from 01 May 2017 until 30 April 2022

Issue number: 1

Certification Body: **Interface NRM Ltd**

Signed on behalf of Interface NRM Ltd by:



Dr. Gavin Jordan - Director

- ✓ The validity of this certificate and the full list of product groups covered by the certificate shall be verified on the FSC database of registered certificates (www.fsc-info.org)
- ✓ The certificate itself does not constitute evidence that a particular product supplied by the certificate holder is FSC certified, or Controlled Wood.
- ✓ Products offered, shipped or sold by the certificate holder can only be considered covered by the scope of this certificate when the required FSC claim is clearly stated on sales and delivery documents.
- ✓ The certificate including all copies or reproductions is property of Interface NRM Ltd and shall be returned or destroyed upon request.



The mark of
responsible forestry



Sealed Air Limited
Product Care
Telford Way
Kettering,
Northamptonshire
NN16 8UN

Tel +44 1536 315700
Fax +44 1536 410576
www.sealedair-emea.com

Technical Data Sheet

Mail Lite Round Trip Mailers

COMPOSITION

Polyethylene coated paper laminated to a co-extruded plastic bubble film made from low-density polyethylene and plastic barrier A hot melt adhesive is added to the exposed paper to create a sealing lip. A backing paper is used to protect the adhesive from losing tacking properties until required. Second extra seal allowing outbound and inbound shipments. Standard Mail Lite are printed with Sealed Air logo, size identification and readable barcoding.

Paper is Chain of Custody (FSC) certified

Water-soluble inks are used for all printing designs.

PHYSICAL PROPERTIES

Type	Kraft white paper Dual Seal Bubble Mailer	
Mailer Size	D/1	LL
Mailers per carton	100	50
External Width	200mm +/- 8mm	250 +/- 8mm
Length excluding Lip	260mm +/- 8mm	330 +/- 8mm
Lip	70mm +10mm	75mm +10mm
Glue weight	0.1g - 0.05g	0.12g - 0.05g
Paper + PE layer	70g/m2 + 9g/m2 = total grammage 79 g/m2 - 6g/m2	
AirCap bubble	30g/m2 +/- 2g/m2	
Seam strength	15N +/- 5N	
Glue Strength	5N +/- 2N	