

Share My Screen 1080P

USB-C Wireless Display Adapter with Hub

WDA-01



Wireless display adapter



Video resolution up to 1080P



HDMI / VGA video connection



Hub: 2x USB-A, SD & microSD slots

High-definition Wireless Presenting

Share My Screen 1080P Wireless Video Adapter supports both HDMI and VGA connections, allowing you to easily connect computers, laptops, tablets, and smartphones to 1080P monitors, TVs, or beamers.

Easy pairing ensures accessibility for all levels of technical expertise, while universal compatibility accommodates a wide range of USB-C enabled devices. Enjoy flexibility in meeting rooms and beyond with a reliable 10-meter wireless range.

Its compact and portable design is ideal for professionals and students on the go. Unleash the WDA-01's power with hub features such as dual USB-A ports and SD/microSD slots – where wireless clarity meets unrivalled convenience.

Share My Screen 1080P

USB-C Wireless Display Adapter with Hub

WDA-01

General Information	
Material	ABS
Colour	Black/Grey
Compatible devices	Transmitter: Notebook, Tablet PC, Smartphone Receiver: TV, Monitor, Projector
Transmission distance	Max. 10 meters
Transmitter	
USB Connector	USB-C™
USB Interface	USB 3.0
USB Data transmission	Up to 5 Gbps. Support USB-C 3.2 Gen1, 5G data transmission, downwards compatible USB 2.0.
Video	Support DP Alt Mode 1.4
Billboard	Supported
USB-A ports	2x USB-A 3.2 Gen1, 5Gb/s data transmission, downwards compatible with USB 2.0, 5V 0.9A@4.5W
SD / microSD supported cards	SDXC, SDHC, SD, MMC, RS-MM, Micro SDXC, Micro SDHC, Micro SD
SD / microSD slot	Read: 50-104Mb/s , Write: 30-80Mb/s
WiFi	Supports wireless dual frequency Protocol standard IEEE 802.11a/b/g/n/ac
Function Key	Single click to disconnect monitoring Long press 5s to enter pairing mode Long press 10s to factory reset
Cable length	15 cm
Receiver	
HDMI Bandwidth	Max. 6G
HDMI Resolution/Refresh rate	1080p/60Hz/48bit; 720p/60Hz/48bit, 3D/1080p / 720p etc.
HDMI Audio	8 channel; sampling rate 192khz/24bit, support LPCM, DTS, AC3, HBR
HDCP Version	HDCP 1.4
VGA	Resolution/Refresh rate 1080p/60Hz/24/bit; 720p/60Hz/24bit; 480p/60Hz/24bit
Audio	Interface 3.5mm/ level4; 8 channel; sampling rate 192khz/16bit
Function Key	Long press 5s to enter re-pair mode
Power supply	5V/1A@5W via USB-C™ PD port (USB charger not included)
Cable	USB-A to USB-C™ cable (80cm)



Share My Screen 1080P

USB-C Wireless Display Adapter with Hub

WDA-01

Verbatim
Technology you can trust

Other Features	
Compliance	Radio Equipment Directive RED (2014/53/EU) EN IEC 62368-1:2020 +A11:2020; EN IEC 62311:2020 ETSI EN 301 489-1 V2.2.3 (2019-11); ETSI EN 301 489-3 V2.3.1 (2022-11) ETSI EN 301 489-17 V3.2.5 (2022-08); EN 55032:2015+A1:2020+A11:2020 EN 5535:2017+A11:2020; ETSI EN 300 328 V2.2.2 (2019-7) ETSI EN 301 893 V2.1.1 (2017-05); ETSI EN 300 440 V2.2.1 (2018-07)

ROHS compliance	Yes
-----------------	-----

Storage and Operating Conditions

Operating Temperature	0°C ~ +40°C
Storage Temperature	-20°C ~ +70°C
Operating Humidity	10% ~ 85% RH (no condensation)

PN	Description	Bar Code	EAN128 Code	EAN14 Code
32146	Share My Screen USB-C Wireless Display Adapter 1080P with Hub WDA-01	023942321460	(02)00023942321460(37)05(91)891 (02)00023942321460(37)20(91)891	20023942321464 50023942321465

Logistic Information

Product Dimensions L x W x H	121.2 x 60.5 x 37mm
Product Weight	193 grams
Units per Pack	1
Pack Dimensions L x W x H	170 x 100 x 45mm
Pack Weight	280 grams
Units per Inner Carton	5
Inner Carton Dimensions L x W x H	240 x 180 x 120mm
Inner Carton Weight	1 497 grams
Units per Outer Carton	20
Outer Carton Dimensions L x W x H	380 x 267 x 260mm
Master Cartons Weight	6 514
Master Cartons per Layer	6
Layers per Pallet	4
Units per Pallet	480



Share My Screen 1080P

USB-C Wireless Display Adapter with Hub

WDA-01

Verbatim
Technology you can trust



Receiver Front Angled



Receiver Back Angled



Transmitter Front Angled




Transmitter Back Angled




TX-RX Back Angled




TX-RX Ports



Receiver Lifestyle



Transmitter Lifestyle



TX-RX Lifestyle



Packaging flat



Packaging 3D

System Requirements:

- Interface: USB-C supporting video output
- OS: Windows OS 7/8/10/11 (X86/X64), Mac OS 10.2 Above, Chrome OS, Linux, Android 7 or above

Pack Contents:

- Share My Screen wireless display adapter
- USB-A to USB-C™ cable
- Quick Start Guide

For more information, please contact your key account manager

Publication date: 27-11-2023
© 2023 Verbatim. All rights reserved.
All brand names are registered trademarks of their respective owners.
Unauthorized use strictly prohibited.
Specifications are subject to change without prior notice.